



Information notice

## "T" upgrade for the "Safe-T" self-locking buckle

This notice will help you upgrade your harness, following the safety warning concerning the "Chest strap's Safe-T buckle inadvertently opening in flight".

Safety warning # : SUPAIR\_2016/06\_002

Safety warning date : 06-21-2016

SUPAIR - VLD

34 rue Adrastée

Parc Altaïs

74650 Annecy - Chavanod

FRANCE

45°54.024'N / 06°04.725'E



"Safe-T kit" upgrade

[www.supair.com](http://www.supair.com)

## >> Check if you can upgrade your harness yourself

If your harness is deemed to be defective according to the safety warning listing "Chest strap's Safe-T buckle inadvertently opening in flight", (SUPAIR - 2016/06 – 002), and is part of the following models :

- ALTIRANDO 2 RS
- PIXAIR
- PARAMOTEUR EVO
- SKYPPER

You then can repair/upgrade it yourself.

Contact your local dealer for help or SUPAIR directly to receive a Safe-T kit upgrade.

Contact SUPAIR via:

E-mail : [sav@supair.com](mailto:sav@supair.com)

Phone : +33 (0)4 50 45 75 29

Website : [www.supair.com](http://www.supair.com) >> CONTACT

## >> Check for compatibility first



**Before any modification, check for the "Safe-T kit " upgrade to be fully compatible with your harness buckles.**

To complete the verification :

- Open the chest strap's self-locking buckle.
- Put the "T" buckle hardware piece aside.
- Take the new "Safe-T kit".
- Close the self-locking buckles using the new "Safe-T" kit".

If the locking mechanisms works :

- a locking sound is heard
- the locking pins are up and correctly engaged



**The validity is confirmed : you can upgrade the "T" buckle hardware.**

## >> How to change the male "T" hardware piece

### 1 >> Locate the hardware to change

The "Safe-T" kit must be swapped; the "T" hardware piece needs to be upgraded.



"Safe-T kit" upgrade

### 2 >> Cut the old "Safe-T" strap loop



Cut the old "Safe-T" strap loop connected to the leg strap.



Beware not to damage the leg strap.

### 3 >> Roll the new "Safe-T" kit's elastic sleeve up



### 4 >> Install the new "Safe-T" kit



Push the leg strap through the new "Safe-T" kit loop strap

## 5 >> Completing the installation



Attach the "Safe-T kit" to the leg strap, then roll the elastic sleeve back down and push it against the strap to secure the installation.



The new "Safe-T kit" is now installed !

If in doubt, do not hesitate to contact your local dealer/distributor or our customer service department.

Thank you for trusting us and happy flights.